iGEM2013 – Microbiology –
BMB – SDU

Title: Growth for RNA purification - IPTG inducible plasmid

SOP number: SOP0025_v01

Version number: 01

Date issued: 2013.08.22

Review date: 2013.08.22

Written by: PRA

1. Purpose

To grow cells with plasmids containing IPTG inducible promoter for RNA purification

2. Area of application

E. coli with IPTG inducible promoter

3. Apparatus and equipment

Apparatus/equipment	Location (Room number)	Check points	Criteria for approval/rejection
Erlenmeyer flasks	Hall with glass ware	•	
Centrifuge	Lab	•	
p1000, 100, 20		•	
Spectrophotometer	Growth room	•	
Liquid nitrogen container		•	
		•	
		•	

4. Materials and reagents - their shelf life and risk labelling

Name C	Components	Supplier / Cat. #	Room (hallway	Safety
--------	------------	-------------------	---------------	--------

		storage)	considerations
Blue pipette tips	Contact lab-manager	Micro storage	
Green pipette tips	Contact lab-manager	Micro storage	
15 mL Falcon tube	Contact lab-manager	Micro storage	
Cuvettes	Contact lab-manager	Micro storage	
Liquid nitrogen			
Fort. LB media	The new Anne-Mette	Autoclave room	
1M IPTG	Contact lab-manager	Chemical room	

5. QC - Quality Control

6. List of other SOPs relevant to this SOP

SOP0026_v01_Growth for RNA purification - ara inducible plasmid SOP0027_v01_RNA purification SOP0028_v01_Nothern blotting

7. Environmental conditions required

8. **Procedure**

- 1. Prepare the appropriate amount of Erlenmeyer flask with 10mL LB for each sample to be taken from the culture + 5mL (E.g. 25mL when 2 samples is to be taken)
- 2. Incubate bacteria in 37°C incubator.
- 3. Make sure a centrifuge for 15mL Falcon tubes is at 4°C, when samples (step 5-6) are taken.
- 4. Grow cells to OD₆₀₀=0.6
- 5. Transfer 10mL culture to a 15mL Falcon tube and induce the rest of the culture with IPTG (1mM end concentration)
 - 1. Speed freeze the 10mL in liquid nitrogen

- 2. Keep on ice
- 6. Repeat the procedure without further addition of IPTG for the rest of the samples
- 7. Centrifuge at 4°C for 7 min at 7000 rpm
- 8. Continue to RNA purification

9. Waste handling

Chemical name	Concentration	Type of waste (C, Z)	Remarks
LB media from culture		Biowaste - container in	
		fume cubard in growth	
		room	

10. Time consumption

- Total-time 5 hours.
- Hands-on-time 1.5 hours.

11. Scheme of development

Date / Initials	Version No.	Description of changes
13.08.22 / PRA	01	The SOP has been written
13.08.23 / TJK	01	The SOP has been approved

12. Appendices

 $\textit{File name: } \textbf{iGEM2013_SOP0025_v01_Growth for RNA purification - IPTG inducible plasmid } \\$

The Hallies region 2013_301 0023_vol_Grown for raw v parimodation. If the inducible placema